
GALILEO

Designed by Martin Opl



TECHNICAL SHEET

SANS SOUCI

TECHNICAL SHEET

GALILEO PENDANT

Type: A, B, C, D, E, F

TECHNICAL DETAILS

GLASS FINISHING	
Main glass sphere: **Inner glass sphere:**	Aurum/Argent/Rose with 25% transparency Clear with sandblasting
Metal parts:	Polished stainless steel / Polished stainless steel with gold lacquer
Canopy included:	Yes
Usage:	Indoor

ELECTRO TECHNICAL DETAILS

Cord color:	Black
Cord length:	1800 mm
Light source type:	2x LED stripe
Socket:	Integrated LED
Light source is included:	Yes
Color temperature & Dimming:	3000 k / Dimmable
Input voltage:	24V DC
Rated power:	5 W
Protection rating:	IP20

*The cable can be adjusted by shortening the wire.
In case of need longer or shorter cord,
please contact your sale person.


SANS SOUCI

TECHNICAL SHEET

GALILEO PENDANT

Type: A, B, C, D, E, F

TECHNICAL DRAWINGS



SIZE	Dia(mm/in)	Heigh(mm/in)
A	450/17,72	910/35,83
B	450/17,72	920/36,22
C	450/17,72	920/36,22
D	450/17,72	820/32,28
E	450/17,72	910/35,83
F	450/17,72	910/35,83

PACKAGING

SIZE	Package Dimensions	Fixture Dimmensions	Total weight (incl. packaging)
A	550x530x570 mm	450x910 mm	9,0 kg
B	520x500x740 mm	450x920 mm	9,2 kg
C	520x500x740 mm	450x920 mm	9,5 kg
D	560x530x570 mm	450x820 mm	9,4 kg
E	520x500x740 mm	450x910 mm	9,2 kg
F	520x500x740 mm	450x910 mm	9,5 kg

Attention:
* The product requires professional installation
** Warranty period: depends on teritorry

SANS SOUCI

SANS SOUCI

Country of origin:
Czech Republic

Sans Souci s.r.o.
Vaclavske nam. 804/58,
110 00, Prague 1, Czech Republic

www.sanssoucilighting.com